



SFP6606WTPNX

Oven, Dolce Stil Novo, 60cm, Thermo-ventilated, Black, Component finish: Stainless steel, A+, Pyrolytic



TYPE

Product Family: Oven • Category: 60cm • Cooking Method: Thermo-ventilated • SmegConnect: Yes • Power supply: Electric •
EAN code: 8017709261962 • Cleaning system: Pyrolytic

AESTHETICS

Colour: Black • Finishing: Glossy • Aesthetic: Dolce Stil Novo • Component finish: Stainless steel • Material: Glass • Glass Type: Eclipse • Door: Full glass • Handle: Dolce Stil Novo • Handle Colour: Black

PROGRAMS / FUNCTIONS

No. of cooking functions: 10 • Automatic programmes: 48 • Traditional cooking functions: Static, Fan assisted, Circulaire, Turbo, Eco, Large grill, Fan grill (large), Base, Fan assisted base, Pizza • Customisable recipes: 64 • Other functions: Defrost by time, Defrost by weight, Leavening, Keep warm, Plate rack/warmer, Sabbath • Cleaning functions: Pirolisis

CONTROLS

Display: Yes • Control setting: Advanced full touch

OPTIONS

Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • Timer: 3 • Showroom demo option: Yes • Connectivity: WI-FI • Touch guide: Yes • Rapid pre-heating: Yes • Demo-tutorial mode: Yes • Instant GO: Yes • Smart cooking: Yes • Controls Lock / Child Safety: Yes • Multi-step cooking: Yes, up to 3 strps • Cooking with probe thermometer: Yes • Other options: SmartCook system, Keep warm, Eco light, Language setting, Digital clock display, Tones, Tones volume, Brightness • Chronology: Yes, the last 10 functions utilized

TECHNICAL FEATURES

Display name: VivoScreen max • Display technology: TFT • Temperature control: Electronic • Minimum Temperature: 30 °C • Maximum temperature: 280 °C • Cavity material: Ever clean Enamel • No. of shelves: 5 • Shelves type: Metal racks • N. of fans: 1 • No. of lights: 2 • User-replaceable light: Yes • Light type: Halogen • Light Power: 40 W • Light when door is opened: Yes • Door opening type: Standard opening • Door: Cool • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 4 • Soft Close hinges: Yes • Safety Thermostat: Yes • Cooling system: Tangential • Door Lock During Pyrolysis: Yes • Heating suspended when door is opened: Yes • Lower heating element power: 1200 W • Upper heating element - Power: 1000 W • Grill element - power: 1700 W • Large grill - Power: 2700 W • Circular heating element - Power: 2000 W

PERFORMANCE / ENERGY LABEL

Energy efficiency class: A+ • Net volume of the cavity: 70 l • Energy consumption in conventional mode: 3.92 MJ • Energy consumption per cycle in conventional mode: 1.09 kWh • Energy consumption in forced air convection: 2.45 MJ • Energy consumption per cycle in fan-forced convection: 0.68 kWh

ELECTRICAL CONNECTION

Voltage: 220-240 V • Nominal power: 3000 W • Frequency (Hz): 50/60 Hz • Power supply cable length: 115 cm

LOGISTIC INFORMATION

Dimensions of the product (mm): 592x597x548 • Net weight (kg): 38.000 kg

ACCESSORIES INCLUDED

Rack with back and side stop: 2 Enamelled tray (20mm): 1 Enamelled deep tray (40mm): 1 Insert grid: 1 Temperature probe: Yes, single point Telescopic Guide rails, total Extraction: 1

OPTIONAL

PRTX: Pizza stone, Ovens, Cookers PALPZ: Pizza shovel, Ovens, Cookers PPR2: Pizza stone, Ovens, Cookers BN620-1: Tray, Ovens, Cookers BN640: Tray, Ovens, Cookers GTT: Telescopic Guides, Ovens, Cookers GTP: Telescopic Guides, Ovens, Cookers PR3845N: Profile Kit, Ovens PR3845X: Antifingerprint, Ovens PIR2: Pan, Ovens, Cookers

